

Extreme bone loss

BEST AVAILABLE COPY

**Fig. 1**




Fig. 2



**Fig. 3**



Fig. 4




**Fig. 5**

6/17



**Fig. 6**

Panarex view of failed algeport (T.C.P.) graft



**Fig. 7**




Fig. 8



9/17



Fig. 9





Fig. 10

11/17



**Fig. 11**

12/17



Fig. 12



Fig. 13





Fig. 14




Fig. 15



**Fig. 16**



Biopiant LC and regenerating bone



**Fig. 17**

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☒ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**